

<h1>Checklist 1</h1>	Put a check mark when risk/hazard is found
Some areas in the home have visible fire hazards	
Hoarding of excrement and/or urine	
Bathroom has no running water	
Bathroom is unusable and unsanitary	
Emergency personnel will be unable to enter the house quickly due to hoard	
Windows cannot be opened from the inside	
Doors cannot be opened or can barely be opened	
Stairs are unsafe to use	
Living room floor has clutter	
Bedroom floor has clutter	
Dining room floor has clutter	
Materials are piled high from floor to ceiling	
There are piles of heavy materials	
There are unstable piles of materials that can shatter or break (e.g. glass)	
There are sharp items mixed with the floor clutter or piles	
Electrical wiring is unsafe	
There are no smoke alarms	
Smoke alarms are present but are defective	
An area or several areas inside the home have pooled water	
Structural damage is present	
Stairways are physically damaged and are not usable	
Rotting food is present	
Insect infestation found	
Rodent infestation found	
Dead animals are found mixed with the clutter	
There is presence of animal waste inside the house	
There is presence of fluids such as blood and vomit	
Some parts of the home are structurally compromised due to molds and other fungus	
Running water is not present in other parts of the home	
Electricity has been shut off	
Garbage collection has been discontinued	

